



List of protected zones, the respective protected zone quarantine pests and their respective codes (EU Regulation 2019/2072, Annex III)

These additional requirements apply to movements of specified plants into and within protected zones. They are above and beyond ordinary plant passports and apply to plants all the way from propagation to final consumer. All entries are for plants intended for planting (excluding fruit and seeds) unless otherwise specified.

Under these regulations the EPPO Code or scientific name of the pest should be used as the PZ code on plant passporting labels.

Harmful organisms + host genera	Protected zones: territory of
<p>(a) Bacteria:</p> <p><i>Erwinia amylovora</i> (Fireblight)</p> <p><i>Parts of plants (other than fruit and seeds) and plants intended for planting, but including live pollen for pollination of Amelanchier, Chaenomeles, Cotoneaster, Crataegus, Cydonia, Eriobotrya, Malus, Mespilus, Photinia davidiana, Pyracantha, Pyrus and Sorbus</i></p> <p>EPPO Code - ERWIAM</p>	<p>(a) Estonia;</p> <p>(b) Spain (except the autonomous communities of Andalucía, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa (Basque Country), the comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida (Comunidad autonoma de Catalunya); and the municipalities of Alborache and Turís in the province of Valencia and the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante (Comunidad Valenciana));</p> <p>(c) France (Corsica);</p> <p>(d) Italy (Abruzzo, Basilicata, Calabria, Campania, Lazio, Liguria, Marche, Molise, Piedmont (except the communes of Busca, Centallo, Scarnafigi, Tarantasca and Villafalletto in the province of Cuneo), Sardinia, Sicily (except the municipalities of Cesarò (Messina Province), Maniace, Bronte, Adrano (Catania Province) and Centuripe, Regalbuto and Troina (Enna Province)), Tuscany, Umbria, Valle d'Aosta);</p> <p>e) Latvia;</p> <p>(f) Finland;</p> <p>(g) UK (Isle of Man; Channel Islands);</p> <p>(h) until 30 April 2020: Ireland (except Galway city);</p> <p>(i) until 30 April 2020: Italy (Apúlia, Lombardy (except the provinces of Milan, Mantua, Sondrio and Varese, and the communes of Bovisio Masciago, Cesano Maderno, Desio, Limbiate, +</p>

Harmful organisms +host genera	Protected zones: territory of
(a) Bacteria (continued):	
	<p>Nova Milanese and Varedo in Monza Brianza Province), Veneto (except the provinces of Rovigo and Venice, the communes Barbona, Boara Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and Vescovana in the province of Padova and the area situated to the South of the motorway A4 in the province of Verona));</p> <p>(j) until 30 April 2020: Lithuania (except the municipalities of Babtai and Kėdainiai (region of Kaunas));</p> <p>(k) until 30 April 2020: Slovenia (except the regions of Gorenjska, Koroška, Maribor and Notranjska, and the communes of Lendava and Renče-Vogrsko (south of the motorway H4) and Velika Polana, and the settlements Fužina, Gabrovčec, Glogovica, Gorenja vas, Gradiček, Grintovec, Ivančna Gorica, Krka, Krška vas, Male Lese, Malo Črnelo, Malo Globoko, Marinča vas, Mleščevo, Mrzlo Polje, Muljava, Podbukovje, Potok pri Muljavi, Šentvid pri Stični, Škrjanče, Trebnja Gorica, Velike Lese, Veliko Črnelo, Veliko Globoko, Vir pri Stični, Vrhpolje pri Šentvidu, Zagradec and Znojile pri Krki in the commune Ivančna Gorica);</p> <p>(l) until 30 April 2020: Slovakia (except the county of Dunajská Streda, Hronovce and Hronské Kľačany (Levice County), Dvory nad Žitavou (Nové Zámky County), Málinec (Poltár County), Hrhov (Rožňava County), Veľké Ripňany (Topoľčany County), Kazimír, Luhyňa, Malý Horeš, Svätušie and Zátin (Trebišov County)).</p>
<p><i>Xanthomonas arboricolarum</i> pv. <i>pruni</i> (Bacterial canker of stone fruits) Plants of <i>Prunus</i> , intended for planting, other than seeds EPPO Code - XANTPR</p>	<p><u>United Kingdom</u> (until 30 April 2020)</p>
(b) Fungi and oomycetes	
<p><i>Colletotrichum gossypii</i> (Pink boll rot of cotton) Seeds and fruits (bolls) of <i>Gossypium</i> spp (and unginned cotton) EPPO Code - GLOMGO</p>	<p>Greece</p>
<p><i>Cryphonectria parasitica</i> (Chestnut blight) Plants of <i>Castanea</i> and <i>Quercus</i> intended for planting EPPO Code - ENDOPA</p>	<p>(a) Czech Republic; (b) Ireland; (c) Sweden; (d) <u>United Kingdom</u>.</p>

Harmful organisms + host genera	Protected zones: territory of
(b) <u>Fungi and oomycetes (continued):</u>	
<p><i>Entoleuca mammata</i> (Poplar canker) Plants of <i>Populus</i> intended for planting</p>	<p>(a) Ireland; (b) United Kingdom (<u>Northern Ireland</u>)</p>
EPPO Code - HYPOMA	
<p><i>Gremmeniella abietina</i> (Brunchorstia Disease)</p> <p>Plants of <i>Abies</i>, <i>Larix</i>, <i>Picea</i>, <i>Pinus</i> and <i>Pseudotsuga</i> intended for planting</p>	<p>Ireland</p>
EPPO Code - GREMAB	
<p><i>Phytophthora ramorum</i> Ramorum Blight</p> <p>Plants of <i>Camellia</i>, <i>Rhododendron</i> and <i>Viburnum</i> intended for planting</p>	<p>until 30 April 2023: France (except the department of Finistere (Bretagne))</p>
EPPO Code - PHYTRA	
(c) <u>Insects and mites:</u>	
<p><i>Bemisia tabaci</i> Genn. (European populations) (Tobacco whitefly)</p> <p>Plants for planting of <i>Ajuga</i>, <i>Begonia</i>, <i>Crossandra</i>, <i>Dipladenia</i>, <i>Euphorbia pulcherrima</i>, <i>Ficus</i>, <i>Hibiscus</i>, <i>Mandevilla</i>, <i>Nerium oleander</i>.</p>	<p>(a) Ireland; (b) Sweden; (c) United Kingdom</p>
EPPO Code - BEMITA	
<p><i>Cephalcia lariciphila</i> (European web spinning larch sawfly)</p> <p>Plants for planting of <i>Larix</i></p>	<p>(a) Ireland; (b) UK (<u>Northern Ireland, Isle of Man and Jersey</u>)</p>
EPPO Code - CEPCAL	
<p><i>Dendroctonus micans</i> (Large spruce beetle)</p> <p>Plants of <i>Abies</i>, <i>Larix</i>, <i>Picea</i>, <i>Pinus</i> and <i>Pseudotsuga</i> over 3 m in height (includes cut Christmas trees)</p>	<p>EPPO Code - GILPPO</p>
EPPO Code - DENCFI	
<p><i>Dryocosmus kuriphilus</i> (Oriental chestnut gall wasp)</p> <p>Plants for planting of <i>Castanea</i> not plants in tissue culture, fruit and seed</p>	
EPPO Code - DRYCKU	
<p><i>Gilpinia hercyniae</i> (European spruce sawfly)</p> <p>Plants for planting of <i>Picea</i></p>	

(a) Ireland;

(b) Greece;

(c) UK (Northern Ireland, Isle of Man and Jersey)

(a) Ireland;

(b) United Kingdom

(a) Ireland;

(b) Greece;

(c) UK (Northern Ireland, Isle of Man and Jersey)

Harmful organisms + host genera	Protected zones: territory of
<u>(c) Insects and mites (continued):</u>	
<p><i>Gonipterus scutellatus</i> (Eucalyptus snout beetle) <i>Plants and cut foliage of Eucalyptus</i> EPPO Code - GONPSC</p>	<p>(a) Greece; (b) Portugal (Azores).</p>
<p><i>Ips amitinus</i> (Small spruce bark beetle) <i>Plants of Abies, Larix, Picea, Pinus over 3 m in height (includes cut Christmas trees)</i> EPPO Code - IPSXAM</p>	<p>(a) Ireland; (b) Greece; (c) United Kingdom</p>
<p><i>Ips cembrae</i> (Larger pine scolytid) <i>Plants of Abies, Larix, Picea, Pinus and Pseudotsuga over 3 m in height (includes cut Christmas trees)</i> EPPO Code - IPSXCE</p>	<p>(a) Ireland; (b) Greece; (c) UK (<u>Northern Ireland, Isle of Man and Jersey</u>)</p>
<p><i>Ips duplicatus</i> (Northern bark beetle) <i>Plants of Abies, Larix, Picea, Pinus over 3 m in height (includes cut Christmas trees)</i> EPPO Code - IPSXDU</p>	<p>(a) Ireland; (b) Greece; (c) United Kingdom</p>
<p><i>Ips sexdentatus</i> (Six toothed bark beetle) <i>Plants of Abies, Larix, Picea, Pinus over 3 m in height (includes cut Christmas trees)</i> EPPO Code - IPSXSE</p>	<p>(a) Ireland; (b) Cyprus; (c) UK (<u>Northern Ireland and Isle of Man</u>)</p>
<p><i>Ips typographus</i> (Spruce bark beetle) <i>Plants of Abies, Larix, Picea, Pinus over 3 m in height (includes cut Christmas trees)</i> EPPO Code - IPSXTY</p>	<p>(a) Ireland; (b) United Kingdom</p>
<p><i>Leptinotarsa decemlineata</i> (Colorado beetle) <i>No passport required but the introduction and spread of this pest is prohibited.</i> EPPO Code - LPTNDE</p>	<p>(a) Ireland; (b) Spain (Ibiza and Menorca); (c) Cyprus; (d) Malta; (e) Portugal (Azores and Madeira); (f) Finland (districts of Åland, Häme, Kymi, Pirkanmaa, Satakunta, Turku, Uusimaa); (g) Sweden (counties of Blekinge, Gotland, Halland, Kalmar and Skåne); (h) <u>United Kingdom.</u></p>

Harmful organisms + host genera	Protected zones: territory of
<u>(c) Insects and mite (continued)</u>	
<p><i>Liriomyza bryoniae</i> (Tomato leafminer)</p> <p>No passport required but the introduction and spread of this pest is prohibited.</p> <p>EPPO Code - LIRIBO</p>	<p>(a) Ireland;</p> <p>(b) United Kingdom (<u>Northern Ireland</u>)</p>
<p><i>Liriomyza huidobrensis</i> (South american leafminer)</p> <p>Herbaceous plants</p> <p>EPPO Code - LIRIHU</p>	<p>(a) until 30 April 2020: Ireland;</p> <p>(b) until 30 April 2020: United Kingdom (<u>Northern Ireland</u>)</p>
<p><i>Liriomyza trifolii</i> (American serpentine leafminer)</p> <p>Herbaceous plants</p> <p>EPPO Code - LIRITR</p>	<p>(a) until 30 April 2020: Ireland;</p> <p>(b) until 30 April 2020: United Kingdom (<u>Northern Ireland</u>)</p>
<p><i>Paysandisia archon</i> (Palm borer)</p> <p>Plants of <i>Palmae</i> intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following genera: <i>Brahea</i>, <i>Butia</i>, <i>Chamaerops</i>, <i>Jubaea</i>, <i>Livistona</i>, <i>Phoenix</i>, <i>Sabal</i>, <i>Syagrus</i>, <i>Trachycarpus</i>, <i>Trithrinax</i>, <i>Washingtonia</i></p> <p>EPPO Code - PAYSAR</p>	<p>(a) Ireland;</p> <p>(b) Malta;</p> <p>(c) <u>United Kingdom</u></p>
<p><i>Rhynchophorus ferrugineus</i> (Red palm weevil)</p> <p>Plants of <i>Palmae</i>, intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following taxa: <i>Areca catechu</i>, <i>Arenga pinnata</i>, <i>Bismarckia</i>, <i>Borassus flabellifer</i>, <i>Brahea armata</i>, <i>Brahea edulis</i>, <i>Butia capitata</i>, <i>Calamus merrillii</i>, <i>Caryota maxima</i>, <i>Caryota cumingii</i>, <i>Chamaerops humilis</i>, <i>Cocos nucifera</i>, <i>Copernicia</i>, <i>Corypha utan</i>, <i>Elaeis guineensis</i>, <i>Howea forsteriana</i>, <i>Jubaea chilensis</i>, <i>Livistona australis</i>, <i>Livistona decora</i>, <i>Livistona rotundifolia</i>, <i>Metroxylon sagu</i>, <i>Phoenix canariensis</i>, <i>Phoenix dactylifera</i>, <i>Phoenix reclinata</i>, <i>Phoenix roebelenii</i>, <i>Phoenix sylvestris</i>, <i>Phoenix theophrasti</i>, <i>Pritchardia</i>, <i>Ravenea rivularis</i>, <i>Roystonea regia</i>, <i>Sabal palmetto</i>, <i>Syagrus romanzoffiana</i>, <i>Trachycarpus fortunei</i>. and <i>Washingtonia</i></p> <p>EPPO Code - RHYCFE</p>	<p>(a) Ireland;</p> <p>(b) Portugal (Azores);</p> <p>(c) <u>United Kingdom</u></p>
<p><i>Sternochetus mangiferae</i> (Mango seed weevil)</p> <p>Seeds of mangoes originating from third countries</p> <p>EPPO Code - CRYPMA</p>	<p>(a) Portugal (Alentejo, Algarve and Madeira)</p> <p>(b) Spain (Granada and Malaga);</p>
<p><i>Thaumetopoea pityocampa</i> (Pine processionary moth)</p> <p>Plants of <i>Pinus</i> and <i>Cedrus</i> intended for planting, other than fruits and seeds.</p> <p>EPPO Code - THAUPI</p>	<p>United Kingdom</p>

Harmful organisms + host genera	Protected zones: territory of
<u>(c) Insects and mite (continued)</u>	
<p style="text-align: center;"><i>Thaumetopoea processionea</i> (Oak processionary moth)</p> <p><i>Plants for planting of Quercus L., other than Quercus suber L., of a girth of at least 8 cm measured at 1,2 m height from the root collar, other than fruits and seeds</i></p> <p>EPPO Code - THAUPR</p>	<p>(a) Ireland;</p> <p>(b) until 30 April 2020: United Kingdom (excluding the local authority areas of Barking and Dagenham; Barnet; Basildon; Basingstoke and Dene; Bexley; Bracknell Forest; Brent; Brentwood; Bromley; Broxbourne; Camden; Castle Point; Chelmsford; Chiltern; City of London; City of Westminster; Crawley; Croydon; Dacorum; Dartford; Ealing; East Hertfordshire; Elmbridge District; Enfield; Epping Forest; Epsom and Ewell District; Gravesham; Greenwich; Guildford; Hackney; Hammersmith & Fulham; Haringey; Harlow; Harrow; Hart; Havering; Hertsmere; Hillingdon; Horsham; Hounslow; Islington; Kensington & Chelsea; Kingston upon Thames; Lambeth; Lewisham; Medway; Merton; Mid Sussex; Mole Valley; Newham; North Hertfordshire; Reading; Redbridge; Reigate and Banstead; Richmond Upon Thames; Runnymede District; Rushmoor; Sevenoaks; Slough; South Bedfordshire; South Bucks; South Oxfordshire; Southwark; Spelthorne District; St Albans; Sutton; Surrey Heath; Tandridge; Three Rivers; Thurrock; Tonbridge and Malling; Tower Hamlets; Uttlesford Waltham Forest; Wandsworth; Watford; Waverley; Welwyn Hatfield; West Berkshire; Windsor and Maidenhead; Woking, Wokingham and Wycombe)</p>
<p style="text-align: center;"><i>Viteus vitifoliae</i> (Grape phylloxera)</p> <p><i>Plants for planting of Vitis (including fruit)</i></p> <p>EPPO Code - VITEVI</p>	<p>Cyprus</p>
<u>(d) Viruses, viroids and phytoplasmas</u>	
<p style="text-align: center;">Beet necrotic yellow vein virus (BNYVV) (Rhizomania)</p> <p><i>Beta vulgaris plants intended for planting, industrial processing and seeds. Soil and unsterilised waste from beet. Plants in soil (inc Seed Potatoes). Plants of Allium porrum, Apium, Brassica napus, Brassica rapa and Daucus. Used agricultural machinery.</i></p> <p>EPPO Code - BNYVVO</p>	<p>(a) Ireland;</p> <p>(b) France (Brittany);</p> <p>(c) Portugal (Azores);</p> <p>(d) Finland;</p> <p>(e) United Kingdom (<u>Northern Ireland</u>).</p>
<p style="text-align: center;"><i>Candidatus Phytoplasma ulmi</i> (Elm yellows phytoplasma)</p> <p><i>Plants of Ulmus intended for planting.</i></p> <p>EPPO Code - PHYPUL</p>	<p><u>United Kingdom</u></p>
<p style="text-align: center;">Citrus tristeza virus (European strains) (TCV) (Citrus quick decline virus)</p> <p><i>Fruits of Citrus, Fortunella, Poncirus and their hybrids, with leaves and peduncles</i></p>	<p>Malta.</p>

